

Product Reference Guide



Kyocera's TASKalfa line

Level up your productivity, boost work efficiency,
and benefit from enhanced security.



Print speeds
up to 105 ppm



Fast scanning
up to 300 ipm



Long-life,
durable parts



Up to 9GB
memory



User-friendly
design



Up to 2400 x 2400
dpi resolution



Up-to-date
security
enhancements



Energy-saving
sleep mode



A3 and A4 duplex
printing

Customize any TASKalfa
device with the Kyocera
Product Configurator.



These devices are compatible with Kyocera and
third-party cloud storage solutions, as well as mobile
print software and remote maintenance solutions to
support digitization and increase mobility.



TASKalfa Color Multifunctional Products



Model	TASKalfa MZ9500ci	TASKalfa MZ8500ci	TASKalfa MZ7500ci	TASKalfa MZ7001ci	TASKalfa MZ6001ci	TASKalfa MZ5001ci	TASKalfa MZ4001ci
Functions	Standard Network Print, Scan, Copy & Optional Fax	Standard Network Print, Scan, Copy & Optional Fax	Standard Network Print, Scan, Copy & Optional Fax	Standard Network Print, Scan, Copy & Optional Fax	Standard Network Print, Scan, Copy & Optional Fax	Standard Network Print, Scan, Copy & Optional Fax	Standard Network Print, Scan, Copy & Optional Fax
Print Speed (up to)	95/80	85/75	75/70	70/70	60/60	50/50	40/40
Document Processor	Std. 500-sheet Straight-Path DSDP	Std. 500-sheet Straight-Path DSDP	Std. 500-sheet Straight-Path DSDP	Opt. 140-sheet RADP Opt. 320-sheet DSDP	Opt. 140-sheet RADP Opt. 320-sheet DSDP	Opt. 140-sheet RADP Opt. 320-sheet DSDP	Opt. 140-sheet RADP Opt. 320-sheet DSDP
Resolution	600 x 2400 dpi 2400 x 2400 dpi	600 x 2400 dpi 2400 x 2400 dpi	600 x 2400 dpi 2400 x 2400 dpi	600 x 600 dpi 1200 x 1200 dpi 4800 x 1200 dpi*	600 x 600 dpi 1200 x 1200 dpi 4800 x 1200 dpi*	600 x 600 dpi 1200 x 1200 dpi 4800 x 1200 dpi*	600 x 600 dpi 1200 x 1200 dpi 4800 x 1200 dpi*
Maximum Paper Size	13" x 19.2" (trays); 13" x 48" (MPT)	13" x 19.2" (trays); 13" x 48" (MPT)	13" x 19.2" (trays); 13" x 48" (MPT)	12" x 18" (trays) 12" x 48" (MPT)	12" x 18" (trays) 12" x 48" (MPT)	12" x 18" (trays) 12" x 48" (MPT)	12" x 18" (trays) 12" x 48" (MPT)
Memory (Std/Max)	9GB	9GB	9GB	4GB	4GB	4GB	4GB
HDD (Std/Max)	256 GB Standard; 1 TB Optional	256 GB Standard; 1 TB Optional	256 GB Standard; 1 TB Optional	Std. 256GB SSD Opt. 1TB HDD	Std. 256GB SSD Opt. 1TB HDD	Std. 256GB SSD Opt. 1TB HDD	Std. 256GB SSD Opt. 1TB HDD
Duplex	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Paper Capacity (Std/Max)	4350/7550	4350/7550	4350/7550	1150/7150	1150/7150	1150/7150	1150/7150

TASKalfa Color and Black and White MFPs



Model	TASKalfa MZ3501ci	TASKalfa MZ2501ci	TASKalfa MA4500ci	TASKalfa 508ci/408ci	TASKalfa 358ci	TASKalfa 308ci
Functions	Standard Network Print, Scan, Copy & Optional Fax	Standard Network Print, Scan, Copy & Optional Fax	Standard Network Print, Scan, Copy & Optional Fax	Standard Network Print, Scan, Copy & Optional Fax	Standard Network Print, Scan, Copy & Optional Fax	Standard Network Print, Scan, Copy & Optional Fax
Print Speed (up to)	35/35	25/25	47/47	52/52 / 42/42	37/37	32/32
Document Processor	Opt. 320-sheet DSDP Opt. 140-sheet RADP Opt. 50-sheet RADP	Opt. 320-sheet DSDP Opt. 140-sheet RADP Opt. 50-sheet RADP	Std. 100-sheet DSDP	Opt. 75-sheet RADF, 100 & 270 sheet DSDP	Opt. 75-sheet RADF, 100 & 270 sheet DSDP	Std. 75-sheet RADF
Resolution	600 x 600 dpi 1200 x 1200 dpi 4800 x 1200 dpi*	600 x 600 dpi 1200 x 1200 dpi 4800 x 1200 dpi*	1200 x 1200dpi**	600 x 600 dpi 1200 x 1200dpi**	600 x 600 dpi 1200 x 1200dpi**	600 x 600 dpi
Maximum Paper Size	12" x 18" (trays) 12" x 48" (MPT)	12" x 18" (trays) 12" x 48" (MPT)	8.5" x 14" (Std. tray)	8.5" x 14" (Std. tray) 8.5" x 48" (MPT)	8.5" x 14" (Std. tray) 8.5" x 48" (MPT)	8.5" x 14" (Std. tray) 8.5" x 14" (MPT)
Memory (Std/Max)	4GB	4GB	2GB/3GB	4GB	4GB	1.5GB/3GB
HDD	Std. 256GB SSD Opt. 1TB HDD	Std. 256GB SSD Opt. 1TB HDD	Optional (SSD)	Std. 320GB	Std. 320GB	Optional (SSD)
Duplex	Standard	Standard	Standard	Standard	Standard	Standard
Paper Capacity (Std/Max)	1150/7150	1150/7150	650/2800	600/3100	600/3100	600/3100

*Interpolated resolution

**At reduced speed

August 2026 U.S.

TASKalfa Black and White Multifunctional Products



Model	TASKalfa MZ10500i	TASKalfa MZ9500i	TASKalfa MZ8500i	TASKalfa MZ7500i	TASKalfa MZ7000i	TASKalfa MZ6000i
Functions	Standard Network Print, Scan, Copy & Optional Fax	Standard Network Print, Scan, Copy & Optional Fax	Standard Network Print, Scan, Copy & Optional Fax	Standard Network Print, Scan, Copy & Optional Fax	Standard Network Print, Scan, Copy & Optional Fax	Standard Network Print, Scan, Copy & Optional Fax
Print Speed (up to)	105	95	85	75	70	60
Document Processor	Std. 500-sheet Straight-Path DSDP	Std. 500-sheet Straight-Path DSDP	Std. 500-sheet Straight-Path DSDP	Std. 500-sheet Straight-Path DSDP	Opt. 140-sheet RADP Opt. 320-sheet DSDP	Opt. 140-sheet RADP Opt. 320-sheet DSDP
Resolution	600 x 1200 dpi 1200 x 1200 dpi	600 x 1200 dpi 1200 x 1200 dpi	600 x 1200 dpi 1200 x 1200 dpi	600 x 1200 dpi 1200 x 1200 dpi	600 x 600 dpi 1200 x 1200 dpi 4800 x 1200 dpi*	600 x 600 dpi 1200 x 1200 dpi 4800 x 1200 dpi*
Maximum Paper Size	13" x 19.2" (trays) 13" x 48" (MPT)	13" x 19.2" (trays) 13" x 48" (MPT)	13" x 19.2" (trays) 13" x 48" (MPT)	13" x 19.2" (trays) 13" x 48" (MPT)	12" x 18" (trays) 12" x 48" (MPT)	12" x 18" (trays) 12" x 48" (MPT)
Memory (Std./Max)	7GB	7GB	7GB	7GB	4GB	4GB
HDD (Std./Max)	256 GB Standard; 1 TB Optional	256 GB Standard; 1 TB Optional	256 GB Standard; 1 TB Optional	256 GB Standard; 1 TB Optional	Std. 256GB SSD Opt. 1TB HDD	Std. 256GB SSD Opt. 1TB HDD
Duplex	Standard	Standard	Standard	Standard	Standard	Standard
Paper Capacity (Std./Max)	4350/7550	4350/7550	4350/7550	4350/7550	1150/7150	1150/7150



TASKalfa Color Printer



Model	TASKalfa MZ5000i	TASKalfa MZ4000i	TASKalfa MZ4000i	TASKalfa MZ3200i	TASKalfa PA4500ci
Functions	Standard Network Print, Scan, Copy & Optional Fax	Standard Network Print, Scan, Copy & Optional Fax	Standard Network Print, Scan, Copy & Optional Fax	Standard Network Print, Scan, Copy & Optional Fax	Print
Print Speed (up to)	50	40	40	32	47/47
Document Processor	Opt. 140-sheet RADP Opt. 320-sheet DSDP	Opt. 140-sheet RADP Opt. 320-sheet DSDP	Opt. 50-sheet RADP Opt. 140-sheet RADP Opt. 320-sheet DSDP	Opt. 50-sheet RADP Opt. 140-sheet RADP Opt. 320-sheet DSDP	-
Resolution	600 x 600 dpi 1200 x 1200 dpi 4800 x 1200 dpi*	600 x 600 dpi 1200 x 1200 dpi 4800 x 1200 dpi*	600 x 600 dpi 1200 x 1200dpi	600 x 600 dpi 1200 x 1200dpi	1200 x 1200 dpi**
Maximum Paper Size	12" x 18" (trays) 12" x 48" (MPT)	12" x 18" (trays) 12" x 48" (MPT)	5.5" x 8.5" — 11" x 17" (trays) 5.5" x 8.5" — 11" x 17" (MPT)	5.5" x 8.5" — 11" x 17" (trays) 5.5" x 8.5" — 11" x 17" (MPT)	8.5" x 14"
Memory (Std./Max)	4GB	4GB	4GB	4GB	1GB/3GB
HDD	Std. 256GB SSD Opt. 1TB HDD	Std. 256GB SSD Opt. 1TB HDD	Std. 32GB SSD/320GB HDD Opt. 1TB HDD	Std. 32GB SSD/320GB HDD Opt. 1TB HDD	Optional (SSD)
Duplex	Standard	Standard	Standard	Standard	Standard
Paper Capacity (Std./Max)	1150/7150	1150/7150	1100/4100	1100/4100	600/2850

*Interpolated resolution

**At reduced speed

August 2026 U.S.

Powerfully efficient cut sheet inkjet printing

Kyocera's inkjet commercial printers create new opportunities for business growth by enhancing efficiency and versatility, while reducing running costs.



146 images
per minute



Remarkable
uptime (↑95%)



Energy-efficient
technology



Versatile
finishing options



Sustainable
water-based inks



Durable, with few
moving parts



Variable data
printing for
personalization



Process automation
for minimal operator
intervention



Ink Calculator for
monitoring and
estimating costs

The TASKalfa Pro 15000c is a cost-effective digital solution for transactional, trans-promotional and direct mail applications. It is compatible with accessories such as a Duplo or Plockmatic booklet maker.

This device can be equipped with the Fiery System to optimize color and boost productivity with advanced workflow options.



TASKalfa Commercial Printers



Model	TASKalfa Pro 15000c
Functions	Standard Network Print, Scan & Copy
Print Speed (up to)	146
Document Processor	Std. 270-sheet DSDP
Resolution	600 dpi
Maximum Paper Size	13" x 19.2" (MPT) 13" x 27.5" (MPT oversized media tray)
Memory (Std./Max)	4.5GB
HDD	32GB SSD/1TB HDD
Duplex	Standard
Paper Capacity (Std./Max)	4150/14310

*Interpolated resolution
**At reduced speed
August 2026 U.S.



Kyocera's ECOSYS line

Economic devices with sustainable benefits that integrate seamlessly into existing print systems for optimal efficiency.



Long-life
sustainable parts



Energy-efficient
technology



High uptime,
low maintenance



Up to 4GB
memory



Security
enhancements



Up to 1200 x 1200
dpi resolution



Up to 62 ppm



A3 and A4
duplex printing

Customize any ECOSYS
device with the Kyocera
Product Configurator.



These devices are compatible with Kyocera and third-party cloud storage solutions, as well as mobile print software and remote maintenance solutions to support digitization and enhance efficiency.



ECOSYS Color Printers



Model	ECOSYS P8060cdn	ECOSYS PA4000cx	ECOSYS PA3500cx	ECOSYS PA2600cwx	ECOSYS PA2101cwx
Functions	Print	Print	Print	Print	Print
Print Speed (up to)	60/55	42/42	37/37	27/27	22/22
Resolution	1200 x 1200 dpi 8 bit color	1200 x 1200 dpi**	1200 x 1200 dpi**	1200x1200 dpi**	1200x1200 dpi**
Maximum Paper Size	12" x 18" (trays) 12" x 48" (MPT)	8.5" x 14"	8.5" x 14"	8.5"x14"	8.5"x14"
Memory (Std./Max)	4GB / 4GB	1GB/3GB	1GB/1GB	1GB	1GB
HDD	Std. 320GB	—	—	—	—
Duplex	Standard	Standard	Standard	Standard	Standard
Paper Capacity (Std./Max)	1150/7150	600/2300	600/2300	300/550	300/550

*Interpolated resolution

**At reduced speed


August 2026 U.S.

Kyocera devices feature a unique Tiered Color System, a solution that categorizes color coverage into three levels with scaled costs based on usage. Unlike traditional printing, which often has a high flat rate for any color use, Kyocera's system charges based only on the actual color coverage per page. This software allows users to control and define color usage levels, enabling significant cost savings over the device's lifecycle, without compromising on color quality. Our Tiered Color System works seamlessly with all Kyocera color MFPs and printers, offering our customers more for less.



SIMPLE COLOR Low Coverage

A color company logo on black and white correspondence.



BUSINESS COLOR Medium Coverage

Printing graphs and charts becomes much more efficient.



CREATIVE COLOR High Coverage

Color-rich collateral such as brochures and presentations.

ECOSYS Black and White Printers



Model	ECOSYS P4060dn	ECOSYS PA6000x	ECOSYS PA5500x	ECOSYS PA5000x
Functions	Print	Print	Print	Print
Print Speed (up to)	60	62	57	52
Resolution	1200 x 1200 dpi	Fine1200 mode (1200 x 1200 dpi)* Fast1200 mode (1800 x 600 dpi)* 600 x 600 dpi 300 x 300 dpi	Fine1200 mode (1200 x 1200 dpi)* Fast1200 mode (1800 x 600 dpi)* 600 x 600 dpi 300 x 300 dpi	Fine1200 mode (1200 x 1200 dpi)* Fast1200 mode (1800 x 600 dpi)* 600 x 600 dpi 300 x 300 dpi
Maximum Paper Size	12" x 18" (trays) 12" x 48" (MPT)	8.5"×14"	8.5"×14"	8.5"×14"
Memory (Std./Max)	4GB/4GB	512 MB/2.5 GB	512 MB/2.5 GB	512 MB/2.5 GB
HDD	Std. 320GB	Optional (SSD)	Optional (SSD)	Optional (SSD)
Duplex	Standard	Standard	Standard	Standard
Paper Capacity (Std./Max)	1150/7150	600/2600	600/2600	600/2600



Model	ECOSYS PA4500x	ECOSYS PA4000wx	ECOSYS PA3500wx
Functions	Print	Print	Print
Print Speed (up to)	47	42	37
Resolution	Fine1200 mode (1200 x 1200 dpi)* Fast1200 mode (1800 x 600 dpi)* 600 x 600 dpi 300 x 300 dpi	Fine1200 mode (1200 x 1200 dpi)* Fast1200 mode (1800 x 600 dpi)* 600 x 600 dpi 300 x 300 dpi	Fine1200 mode (1200 x 1200 dpi)* Fast1200 mode (1800 x 600 dpi)* 600 x 600 dpi 300 x 300 dpi
Maximum Paper Size	8.5"×14"	8.5"×14"	8.5"×14"
Memory (Std./Max)	512 MB/2.5 GB	512MB/512MB	512MB/512MB
HDD	Optional (SSD)	—	—
Duplex	Standard	Standard	Standard
Paper Capacity (Std./Max)	600/2600	350/850	350/850

*Interpolated resolution
**At reduced speed
August 2026 U.S.

ECOSYS Multifunctional Printers



Model	ECOSYS M3860idnf (with Finisher)	ECOSYS MA6000ifx	ECOSYS MA5500ifx	ECOSYS MA4500ifx ECOSYS MA4500ix	ECOSYS MA4000wifx
Type	Black and White	Black and White	Black and White	Black and White	Black and White
Functions	Network Print, Copy, Color Scan and Fax (4 in 1)	Network Print, Copy, Color Scan and Fax (4 in 1)	Network Print, Copy, Color Scan and Fax (4 in 1)	Network Print, Copy, Color Scan and Fax (4 in 1 / 3 in 1)	Network Print, Copy, Color Scan and Fax (4 in 1)
Print Speed (up to)	62	62	57	47/47	42
Document Processor	Std. 100-sheet DSDP	Std. 100-sheet DSDP	Std. 100-sheet DSDP	Std. 75-sheet RADF	Std. 50-sheet DSDP
Resolution	Fine1200 mode (1200 x 1200 dpi)* Fast1200 mode (1800 x 600 dpi)* 600 x 600 dpi 300 x 300 dpi	Fine1200 mode (1200 x 1200 dpi)* Fast1200 mode (1800 x 600 dpi)* 600 x 600 dpi 300 x 300 dpi	Fine1200 mode (1200 x 1200 dpi)* Fast1200 mode (1800 x 600 dpi)* 600 x 600 dpi 300 x 300 dpi	Fine1200 mode (1200 x 1200 dpi)* Fast1200 mode (1800 x 600 dpi)* 600 x 600 dpi 300 x 300 dpi	Fine1200 mode (1200 x 1200 dpi)* Fast1200 mode (1800 x 600 dpi)* 600 x 600 dpi 300 x 300 dpi
Maximum Paper Size	8.5" x 14"	8.5" x 14"	8.5" x 14"	8.5" x 14"	8.5" x 14"
Memory (Std./Max)	1GB/3GB	1.5GB/3.5GB	1.5GB/3.5GB	1.5GB/3.5GB	2GB/2GB
HHD	Opt. 320GB HDD (w/FIN)	Optional (SSD)	Optional (SSD)	Optional (SSD)	—
Duplex	Standard	Standard	Standard	Standard	Standard
Paper Capacity (Std./Max)	600/2600	600/2600	600/2600	600/2600	350/850



Model	ECOSYS MZ3201ix	ECOSYS M8130cidn ECOSYS M8124cidn	ECOSYS MA2600cwf ECOSYS MA2600cw	ECOSYS MA2101cwf
Type	Black and White	Color	Color	Color
Functions	Network Print, Copy, Color Scan and optional Fax	Network Print, Copy, Color Scan and optional Fax	Network Print, Copy, Color Scan and Fax (4 in 1 / 3 in 1)	Network Print, Copy, Color Scan and Fax (4 in 1)
Print Speed (up to)	32	30/24	27/27	22/22
Document Processor	Std. 50-sheet RADF	Std. 50-sheet RADF	Std. 50-sheet DSDP	Std. 50-sheet ADP
Resolution	Fine1200 mode/ (600 x 600 dpi)*	1200x1200 dpi**	Fine1200 mode (1200 x 1200 dpi)** Fast1200 mode 600 x 600 dpi	Fine1200 mode (1200 x 1200 dpi)** Fast1200 mode 600 x 600 dpi
Maximum Paper Size	11"x17"	11"x17"	8.5" x 14"	8.5" x 14"
Memory (Std./Max)	2 GB/2 GB	1.5 GB/3 GB	1GB	1GB
HHD	Optional (SSD)	Optional (SSD)	—	—
Duplex	Standard	Standard	Standard	Standard
Paper Capacity (Std./Max)	600/1600	600/1600	300/550	300/550

*Interpolated resolution
**At reduced speed
August 2026 U.S.

ECOSYS Multifunctional Printers



Model	ECOSYS MA4000wfx	ECOSYS MA4000x	ECOSYS MA3500wfx	ECOSYS MA4000cifix ECOSYS MA4000cix
Type	Black and White	Black and White	Black and White	Color
Functions	Network Print, Copy, Color Scan and Fax (4 in 1)	Network Print, Copy, Color Scan (3 in 1)	Network Print, Copy, Color Scan and Fax (4 in 1)	Network Print, Copy, Color Scan and Fax (4 in 1 / 3 in 1)
Print Speed (up to)	42	42	37	42/42
Document Processor	Std. 50-sheet DSDP	Std. 50-sheet DSDP	Std. 50-sheet ADF	Std. 100-sheet DSDP
Resolution	Fine 1200 mode (1200 x 1200 dpi)* Fast 1200 mode (1800 x 600 dpi)* 600 x 600 dpi 300 x 300 dpi	Fine 1200 mode (1200 x 1200 dpi)* Fast 1200 mode (1800 x 600 dpi)* 600 x 600 dpi 300 x 300 dpi	Fine 1200 mode (1200 x 1200 dpi)* Fast 1200 mode (1800 x 600 dpi)* 600 x 600 dpi 300 x 300 dpi	1200 x 1200 dpi**
Maximum Paper Size	8.5" x 14"	8.5" x 14"	8.5" x 14"	8.5" x 14"
Memory (Std./Max)	1GB/1GB	1GB/1GB	1GB/1GB	2GB/3GB
HHD	—	—	—	Optional (SSD)
Duplex	Standard	Standard	Standard	Standard
Paper Capacity (Std./Max)	350/850	350/850	350/850	350/2000



Model	ECOSYS MA3500cifix	MA2000w
Type	Color	Black and White
Functions	Network Print, Copy, Color Scan and Fax (4 in 1)	Print, Color Copy and Scan
Print Speed (up to)	37/37	21/21
Document Processor	Std. 100-sheet DSDP	—
Resolution	1200 x 1200 dpi**	600x600 dpi
Maximum Paper Size	8.5" x 14"	8.5" x 14"
Memory (Std./Max)	1.5GB/3GB	64MB
HHD	Optional (SSD)	Optional (SSD)
Duplex	Standard	Standard
Paper Capacity (Std./Max)	350/2000	150/150

*Interpolated resolution
**At reduced speed
August 2026 U.S.

Kyocera Document Solutions has championed innovative technology since 1934. We enable our customers to turn information into knowledge, excel at learning and surpass others. With professional expertise and a culture of empathetic partnership, we help organizations put knowledge to work to drive change.

KYOCERA Document Solutions America
225 Sand Road, PO Box 40008
Fairfield, New Jersey 07004-0008, USA
Tel: 973-808-8444



kyoceradocumentsolutions.us